G R S App I IX 4]

Previous References

1941 - 2

(761)

File No 75-641

Serial Nos 26, 27

Later References

GENERAL AND REVENUE SECRETARIAT

Serial Nos 1 to

Part B for 2 files

SUBJECT

Purchase of effluent Cooth filters for the filters of the waterworks at Kathiap Projects at a cost of Rs 4984/-

G.O. No 2605-8/9 3 9 42

To The Director of P H in the Bldg
" D.C. Chandigarh
" Secy S.P.C
" Comptroller

Secretary to -

H.H. accordingly
8/6/42,

67/L

Purchase of effluent Controllers for filters at the Kathval project

General and Revenue Secretariat

Inl File No 75 of 1941 [App F III—2

Serial No

From The Dir of P H
No C72-132 of 27 42

Requests sanction of Govt to the purchase thro' the S P C of two effluent Controllers ~~etc~~ for the filters at the Kathval project of water supply to Chitaldrug at a cost of Rs 4540 against the sanctioned provision of Rs 9000/- for the same in the estimate for the Kathval project

1) The details for Rs 4540 have not been clearly furnished The total amount works up to Rs 3940 only This difference is perhaps due to omission of figures for the 3rd item in the list of materials furnished by the Dir of P H

2) ~~Submitted~~ Submitted by the Dir P H as for orders

3) Please write a D.O. & obtain the information correctly

4) Dealt with a draft D.O. letter for ratifl

5) I submit

6) To, The Dir of P H
D.O. No L150 of 7/7/42
Calls for correct details of the cost

Sd A
7/7/42

NOTE—Contn sheet

1141

Purchase of effluent Controllers for the Rathral project

File No 75 of 194 / General and Revenue Secretariat

Serial No

From - The Dir of P H

C72-151 dt 15-8-62

Furnishes the information called for

6) It is stated that the difference is due to the omission of the cost of the trash guage indicators, whose cost cannot be estimated and but will depend upon the British prices at the time of supply of the machinery.

7) It is further stated that the supplying firm is now demanding a 10% increase in the rates. The total cost of the machinery would therefore be Rs 4934 instead of Rs 4560/- which was the former quotation of the firm. It appears that orders have been placed for the same thro the Secy, SPC as there was no other alternative left. As the cost is within the provision sanctioned in the estimate, the Dir of P H requests sanction to the purchase. The proposal is for orders.

8) A draft G.O. is also put up for consideration

G may be approved
Law Secy) for 21/8/62

Lab 21/8

+O May be sanctioned

SECY LAW 21/8/62 GOVT OF MYSORE

(3)

1141 Purchase of effluent controls for The Kathal Project

General and Revenue Secretariat — File No 75 of 1941 — [App F III—2

Serial No

under the circumstances explained by the Dy. Sec

Minister R S G

24-8-42

24/8/42

27 8 42

27-8-42

27/8/42

OFFICE OF THE ... FOR L S G W P H
Date 24 8 42
No. 1708

To,
The Dir of P. Ht
The D C Chittaldrug
The Secy, S P C
The Comptroller.
L 2605-8 of 3 9 42.
Sanctions the purchase of two effluent controllers at a cost of Rs 4934/-

27

B
5/9/42

NOTE—Contn Sheet

File No of 194

General and Revenue Secretariat

Serial No

67

D. O. No C 72 132

P. PARTHASARATHY Esq. L.M.S. B.Sc.
L.R.C.P., L.R.C. D.T.M. D.P.H.
Director of Public Health

Office of the Director of Public Health
in Mysore

BANGALORE

Dated [illegible] 194-

75-41-

The Secretary to Government,
[illegible]

SECY LAW DEPT
GOVT OF MYSORE

[illegible]

1270
150
580
1997
3940

G. N. Seshadri
(Received from Hon [illegible])

D O No L 150

GENERAL AND REVENUE SECRETARIAT
Dated Bangalore 7th July 1942

Dear Sir,

With reference to your letter No C 72-132 dated 2nd July 1942 regarding the purchase of two effluent controllers for the filters at the Kathral Water Works, I am desired to state that the details for the cost of Rs 4540 against the sanctioned provision of Rs 9,000 in the estimate have not been furnished and to request you to kindly furnish the same by return of post The cost of two wash guage indicators seems to have been omitted

Yours sincerely,

P Parthasarathy, Esq , L M S ,B S Sc , etc ,
Director of Public Health in Mysore,
Bangalore

Appendix F G—1]

SUBJECT

Section nil

File No 75-41

Serial No

Diary No of letter replied to D.O. L. 150

No

General and Revenue Secretariat

( )

the 19

Date of issue 7/7/42

Signed by N G Rao

1 enclosure

Dear Sir,

~~To~~ ~~I am directed to invite~~

With reference to your letter no C72-132 dt 2/7/42 re the purchase of two effluent at Controllers for the Filters at the Kathiral Water Works, ~~I am directed to~~ I am directed to state that the details ~~of~~ against the provisional estimate the cost of Rs 6540 have not been furnished and to request you to ~~be so good as to~~ kindly furnish the ~~correct information early~~ the same by returning post the cost of two wash gauges with Controllers being to have been omitted from the

Yours sincerely

6/7/42

~~For Secy to Govt~~

List of enclosures

Copied by

To Mr Dir gp 4

Examined by

6/7

WD 086—GPB—40 000—30 7 40

3/7

1141

D O No C 72-151 Incl 3

P PARTHASARATHY Esq LMS BSS
LRCP LRC DTM DPH
Director of Public Health

Office of the Director of Public Health in Mysore

BANGALORE

Dated 12th August *1942*

15
Inc 75-41-26

To

The Secretary to Government,
Law Department, Bangalore

SECY LAW DEPT
17
GOVT OF M

Sir,

Re Purchase of two effluent controllers for the filters at the Cathral Project Works -

With reference to your D O letter No 150 dated 7th July 1942 re details of the purchase of the above controllers for an aggregate cost of Rs 4540, I have the honor to state that the Sanitary Engineer in his letter No 133 dated 28th July 1942 intimates that the firm, Sewell Filters Co , Calcutta have now demanded 10 extra over their previous quotation, according to which the total cost will be Rs 4934 as follows -

1) Two 6 Rs G type adjustable effluent controllers, complete with slow start device and bed level cut off, capable of treating a flow of 9,000 gallons to 10,625 gallons of water normally - Rs 1390 + 10% each	Rs 3058
2) Two 6 size influent regulators, comprising butterfly valve, links, spindle, & float etc , complete Rs 580 + 10 each	Rs 1276
3) Two flash gauge indicators with clock work, dial, chord, and pointer - Probable figure Rs 600/- since the firm states that they should be paid billing prices - (Vide copy of letter enclosed)	600
	Rs 4934

A statement showing the provisions for the above in the sanctioned estimate, the previous rate and the present rate is enclosed herewith for the information of Government

The Sanitary Engineer has addressed the Secretary, Stores Purchase Committee, to communicate acceptance of the increased rates to the suppliers as there is no alternative

As the amount involved is well within the provision made in the

in the sanctioned estimate, I request you to be so good as to obtain and convey sanction of Government to the purchase of the above effluent controllers at a total cost of $ 495 subject to increase or decrease according to the price of flash gauge indicators etc for which an approximate amount of $ 600 is included but for which the firm is to be paid at billing prices

A copy of the Sanitary Engineer's letter referred to above is also enclosed for the information of Government

I have the honour to be,
Sir,
Your most obedient servant,

DIRECTOR OF PUBLIC HEALTH

DEPARTMENT OF PUBLIC HEALTH

Estimate for [illegible] filter units etc for Rathral Water works, installed

Sl. No.	Details of work	Contents	Per	Rate	Amount	As per rate approved by [illegible]	As per revised rates	Remarks
	Rs. As.							
1.	(1) 6" inlet controller copper float and stock lints butterfly valve and 6" plain of distance piece of about 1' - 0" length	2	1	450	900	1160 @ Rs. 580/- each	1276 @ Rs. 638/- each	
	(2) 6" [illegible] type effluent controller jewell patent with slow shut device diaphragm and controlls including controller tube and pipings of a capacity from 10,000 to 15,000 gallons per hour with 50% variation in rates of flow	2	1	4500	9000	2780 @ Rs. 1390 each	3058 @ Rs. 1529/- each	
	(3) [illegible] indicator with indicating clock for [illegible] and mounting excluding the piping which will be given by the Department	2	1	200	400	600	600	Probable figure since the firm has stated that they should be paid billing price
					10,300	4540	4934	

Copy

O Cachrane

Director of Public Health

Letter No 135 dated 28th July 1942 from the Sanitary Engineer Bureau of Sanitary Engineering, Bangalore, to the Director of Public Health Mysore, Bangalore

---

Subject - Purchase of effluent controllers for the filters at Kathral Project Works -

--

With reference to your memo No 72-13 dated 15th July 1942 forwarding for report copy of letter No 150 dated 7th July 1942 from the Secretary to Government General and Revenue Secretariat Bangalore, to your address, requiring certain details with regard to the cost of the materials referred to above, I have the honour to state that, since writing to you for sanction to an amount of Rs 4,040/- I have received a further communication from the firm of Jewell Filters Co Ltd, Calcutta (copy enclosed) with whom orders for the supply were placed, wherein they require to be paid 10 extra over what they previously quoted for the controller and the regulator As there is no alternation but to accept the quotation due to present day conditions, I am requesting the Secretary Stores Purchase Committee, Bangalore, to communicate the acceptance to the increased rates A statement showing the provisions on this account in the sanctioned estimate of Kathral Project and the cost as per revised quotation in respect of each item is appended for kind information According to it, the cost works out to Rs 4,934/- and sanction may kindly be conveyed for this amount

As regards wash gauge indicators, the firm in their quotation did not specify any prices but stipulated for the payment of billing prices Hence a sum of Rs 600/- i e, Rs 200/- over the amount provided in the estimate as being the approximate billing price was provisionally taken for the purpose of obtaining sanction to the purchase What actually will have to be paid on this account will depend upon what the current prices will be at the time of supply

Copy

S Ganganna

Director of Public Health

Letter o 631/ 3V dated 15th July 1942 fro1 essrs Ve ell ilter Co Ltd , Calcutta to the Sanitary Engineer, ureau of Sanitary En ineering, an alore

—

e thank you for your indent o 6812 dated 7/8th July 194' but have to inform you that our quotation -365 /42 of 15th pril was based o1 prices the1 current and we are now unable to accept your order at the rates mentioned therein as the present market prices have one up since quotin you e can accept the order only if you will confirm your order by return of post at the following rates

Iten o	Description of materials	Rate
1	6" 'QG controller, as per specification	1390 + 10 (139) 1 e , 1529/- each
2	6 size Influent egulator, complete	580/- + 10 (58/-) 1 e , 638/- each
3	ash auge indicators, etc	t Billing prices

Copy

O Bachanady

Director of Public Health

G R S App F VI—G 2]

SUBJECT

Ab

Diary No of letter replied to

General and Revenue Secretariat

( )

the *193*

Date of issue 3/9/42 193

Signed by M G Rao

May this be—

(i) printed ?

(ii) treated as a standing order ?

(iii) published in the Gazette English Part ?

(iv) translated ?

(v) placed at the disposal of the press?

(vi) published in the Gazette Kanna la Part ?

and two wastegauge - indicators with clockwork etc

4 Copies

Section Ml

File No 754

Serial No 27

Proceedings of the Government of His Highness the Maharaja of Mysore

Read—

Correspondence ending with letter No C72-151 Dated 15 8 42 from the Dir of PH requesting sanction, in the circumstances stated, to the purchase of two effluent controllers required for the Kathavai project of water supply to the Chitaldrug town at a cost of Rs 4934 against the sanctioned provision of Rs 4000 made for the purpose in the estimate for the project and adding that orders for the land machinery have already been placed thro the State purchase committee & that the price of the wastegauge - indicators will have to be paid to the firm at the ruling rates

Order No

sanctioned L- U 05-8

Ans 6 7/11/42

from Secretary to Govt Genl - Law Deptt

To, The Dir of PH

Copy to the D C Chitaldrug

The Secry, S P C.

" Comptroller

List of Enclosures

Copied by

Examined by

WD 0279—GPB—92 500—14 4 S

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS
THE MAHARAJA OF MYSORE

READ:-

Correspondence ending with letter No C 72-151 dated 15th August 1942 from the Director of Public Health, requesting sanction in the circumstances stated, to the purchase of two effluent controllers and two wash guage indicators with clock work etc., required for the Katural Project of water supply to the Chitaldrug Town at a cost of Rs 4,934/- against the sanctioned provision of Rs.10,300/- made for the purpose in the estimate for the project and adding that orders for the said ~~wash guage indicators and kindred~~ machinery have already been placed through the Stores Purchase Committee and that the price of the wash guage indicators will have to be paid to the firm at the billing rates.

ORDER NO: L 2605 of Jul 75 21-27

Dated, Bangalore, the 3rd ~~August~~ Sept 1942.

S A N C T I O N E D.

For Secretary to Government,
Law Department.

To

The Director of Public Health in Mysore.
" Deputy Commissioner, Chitaldrug District.
" Secretary, Stores Purchase Committee.
" Comptroller to Government.

SR/5